

CONCORD

RETAIL SOLUTIONS



**WHERE SUPERIOR
ROBUST DESIGN MEETS
SERVICE EXCELLENCE**



The future of retail solutions

Hot or cold, Concord Retail Solutions provides superior, custom display solutions for all retail environments

CONCORD RETAIL SOLUTIONS

As one of South Africa's leading manufacturers of refrigerated and heated supermarket display cases, Concord Retail Solutions has been providing retail cabinets for over 56 years. Since 1969, we have identified a need for our specialised services within the refrigeration and retail industry. Our product ranges are designed to international standards, coupled with the latest trends and advancements in technology, resulting simply in superior performance display solutions.



DESIGN INNOVATION

The on-site design centre allows Concord to consistently produce a fully functional and tailor-made product range that is designed in line with international standards and takes into consideration the latest trends and advancements in retail technology.



SUSTAINABLE SOLUTIONS

Today, more than ever, environmental concerns remain one of the top priorities for any responsible business. Concord are proud and passionate about being at the forefront of developing and implementing energy-saving refrigeration technology. We are recognized as one of the market leaders in "green" refrigeration manufacturing.



INNOVATION AND EXPERIENCE

Operating from state-of-the-art recently extended premises, Concord incorporates a fully functional design centre. You are welcomed by a dynamic and experienced team whose focus is affording you and your projects the best service and advice available.

With the goal of ensuring you peace of mind from start to finish, Concord recognizes that success is wholly dependent on the ability to distinguish individual customer needs.



CONCORD AND THE ENVIRONMENT

Environmental concerns remain one of the top priorities for any business. At Concord, we have been at the forefront of energy efficiency from the start. Our designs are more efficient and more sustainable than ever before. We continually strive to keep our equipment as energy efficient as possible by regularly upgrading and testing our current and new designs.

OUR PARTNERS



SOUTHEY HOLDINGS

INVESTORS IN EXCELLENCE

Southey Holdings is a South African multinational industrial holding company offering products and services in the contracting, marine engineering, and manufacturing sectors. Southey are represented by highly entrepreneurial, de-centralised business units with an intense focus on delivering our world-class expertise to our growing customer network. Concord Retail Solutions is one of the manufacturing business units that adds stimulus to this diversified group.



DECADES OF EXCELLENCE


Concord operates from state-of-the-art premises in KZN, South Africa, and has been providing high quality retail solutions for over 56 years.



COMMITMENT TO OUR CLIENTS


Concord remains committed to operational excellence and customer satisfaction in everything they do. High quality, reliable products, delivered on time, have gained Concord numerous "Supplier of the Year" awards from various retail groups.

CONCORD RETAIL SOLUTIONS ARE SUPPLIERS OF THE FOLLOWING DISPLAY CABINETS



FREEZER DISPLAY CABINETS

Fricon Self Contained Plug and Play Freezers



SERVICE DISPLAY CABINETS

Chillcrest Square Glass Serve Over Cabinet



CHILLER DISPLAY CABINETS

Lofty Chiller Cabinet - Dairy, Fresh Produce and Drinks



CHILLER DISPLAY CABINETS

Lofty Chiller Cabinet - Meat and Butchery




CHILLER DISPLAY CABINETS

Slimline Lofty Chiller Cabinet with or without PET Doors - Dairy



CHILLER DISPLAY CABINETS

Slimline Lofty Chiller Cabinet with or without PET Doors - Meat



SERVICE DISPLAY CABINETS

Curved Glass Deli Serve Over Cabinet




SERVICE DISPLAY CABINETS

Square Glass Server Over Cabinet



OPEN DISPLAY CABINETS
**Low-Multi Deck Cabinet
with Full Vision PET Doors**



FREEZER DISPLAY CABINETS
**Jumbo Island Freezer with
Crown Ends**




FREEZER DISPLAY CABINETS
Glass Door Freezer Cabinet



HEATED DISPLAY CABINETS
Pie Warmer




FREEZER DISPLAY CABINETS
Wide Island



ISLAND DISPLAY CABINETS
Bain Marie Island



OPEN DISPLAY CABINETS
Low-Multi Deck Cabinet



SELF CONTAINED CHILLER CABINETS
Wall Chiller Cabinet




CONCORD
RETAIL SOLUTIONS

**LOFTY UPRIGHT
CHILLER CABINET**

DAIRY | FRESH PRODUCE | DRINKS





Available in the following lengths: 4ft, 6ft, 7ft, 8ft & 12ft

The Lofty Upright Chiller Cabinet is the definitive upright refrigerated display case. It's linear, smooth styling gives it a modern, sleek and everlasting look. This efficient and quiet refrigerated unit has the ability to draw the shopper's attention to the products inside it.

The Lofty Upright Chiller Cabinet has 500mm deep shelves to give you ample shelf display space.

The Lofty Upright Chiller Cabinet can be customised with a choice of internal and external colours, LED lighting, bumpers, nudge bars and side panels.

STANDARD FEATURES		OPTIONAL FEATURES		ACCESSORIES
Increased Lofty Height of 2,100mm		LED lighting	Night blinds (PVC or Aluminium)	Milk Bins
High efficiency rifle bored copper tube and aluminium fin coils		High efficiency fans (ECM)	Sloping shelves	Produce Boxes
Up to 6 rows of adjustable shelves		Electronic Expansion Valves	Front fences and ticket rails	Sloping Deck Plates
Steel base structures with adjustable feet		Straight/shaped patch ends	Sloping mirror	
Easy removable air grills for ease of maintenance		Patch end mirrors	Under shelf lighting	
Drop in modular fan assembly		Glass patch ends	PET Doors	
Thermostatic valve		Single Pane Glass Doors	Thermopane Glass Doors	

SPECIFICATIONS	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	1,89m2	+3°C to 5°C	1675	-6°C	60w	23w	15,6w	600w	36w	79w
	1,830mm (6ft)	2,88m2	+3°C to 5°C	2500	-6°C	120w	46w	47,58w	800w	60w	120w
	2,120mm (7ft)	3,34m2	+3°C to 5°C	2916	-6°C	120w	46w	54,6w	900w	54w	158w
	2,440mm (8ft)	3,83m2	+3°C to 5°C	3350	-6°C	120w	46w	58,44w	1000w	84w	158w
	3,660mm (12ft)	5,771m2	+3°C to 5°C	5000	-6°C	180w	69w	83,5w	1500w	132w	237w






CONCORD

RETAIL SOLUTIONS

LOFTY UPRIGHT
CHILLER CABINET
MEAT | BUTCHERY



Available in the following lengths:
4ft, 6ft, 7ft, 8ft & 12ft

The Lofty Upright Chiller Cabinet is the definitive upright refrigerated display case. It's linear, smooth styling gives it a modern, sleek and everlasting look. This efficient and quiet refrigerated unit has the ability to draw the shopper's attention to the products inside it.

The Lofty Upright Chiller Cabinet has 500mm deep shelves to give you ample shelf display space.

The Lofty Upright Chiller Cabinet can be customised with a choice of internal and external colours, LED lighting, bumpers, nudge bars and side panels.

This model is specifically for displaying meat and poultry.

STANDARD FEATURES	OPTIONAL FEATURES		ACCESSORIES
Increased Lofty Height of 2,100mm	LED lighting	Night blinds (PVC or Aluminium)	Sloping Decks Plates
High efficiency rifle bored copper tube and aluminium fin coils	High efficiency fans (ECM)	Sloping shelves	Cresta Bars
Up to 6 rows of adjustable shelves	Electronic Expansion Values	Front fences and ticket rails	Bacon Trays
Steel base structures with adjustable feet	Straight/shaped patch ends	Sloping mirror	
Easy removable air grills for ease of maintenance	Patch end mirrors	Under shelf lighting	
Drop in modular fan assembly	Glass patch ends	PET Doors	
	Single Pane Glass Doors	Thermopane Glass Doors	

SPECIFICATION - MEAT	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	1,89m2	0°C to -4°C	1990	-9°C	120w	46w	15,6w	600w	36w	79w
	1,830mm (6ft)	2,88m2	0°C to -4°C	2950	-9°C	180w	69w	47,58w	800w	60w	120w
	2,120mm (7ft)	3,34m2	0°C to -4°C	3440	-9°C	240w	92w	54,6w	900w	54w	158w
	2,440mm (8ft)	3,83m2	0°C to -4°C	3980	-9°C	240w	92w	58,44w	1000w	84w	158w
	3,660mm (12ft)	5,771m2	0°C to -4°C	5900	-9°C	360w	138w	83,5w	1500w	132w	237w






CONCORD

RETAIL SOLUTIONS

GLASS DOOR
FREEZER UPRIGHT
CABINET






Available in the following sizes:
2 Door, 3 Door, 4 Door & 5 Door

The Glass Door Freezer Cabinet from Concord is elegant, efficient and robust. This efficient and quiet refrigerated unit has the ability to draw the shopper’s attention to the frozen products inside it.

The Glass Door Freezer Cabinet has 500mm deep shelves to give you ample merchandising shelf display space.

Our glass doors are manufactured locally by South Africa’s leading glass door manufacturers. The glass doors have heated panes to reduce condensation from freezing and obscuring the view of the products within.

The Glass Door Freezer Cabinet can be customised with a choice of internal & external colours, LED lighting, bumpers, nudge bars and side panels.



STANDARD FEATURES				OPTIONAL FEATURES	ACCESSORIES
Energy efficient thermopane glass doors	Steel base structures with adjustable feet	High efficiency fans (ECM)		Perspex Dividers	
LED lighting	Easy removable air grills for ease of maintenance	Electronic Expansion Valves			
Highly efficient rifle bore tubing	Drop in modular fan assembly	Straight/shaped patch ends			
Up to 5 rows of adjustable wire shelves	Thermostatic valve	Front fences			

SPECIFICATION	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,568mm (2 Door)	4,70m2	-22°C to -24°C	1150	-28°C	120w	23w	811,6w	2850w	90w	N/A
	2,341mm (3 Door)	7,02m2	-22°C to -24°C	1600	-28°C	180w	46w	1217,9w	3750w	120w	N/A
	3,122mm (4 Door)	9,37m2	-22°C to -24°C	2100	-28°C	240w	92w	1624,2w	4950w	150w	N/A
	3,903mm (5 Door)	11,70m2	-22°C to -24°C	2600	-28°C	300w	115w	2030w	6600w	180w	N/A







CONCORD

RETAIL SOLUTIONS

**CURVED GLASS DELI
SERVE OVER CABINET**

CHILLER | FREEZER






Available in the following lengths: 4ft, 6ft, 8ft,10ft & 12ft

Concord’s Curved Glass Deli Serve Over Cabinet can be supplied as a Chiller or a Freezer unit. It can also be supplied as a remote or self-contained unit.

This robust and efficient refrigerated unit is designed to easily draw the shopper’s attention to the products inside it and give easy access to the shop assistant, to enable quick and efficient service to the customer.

The Curved Glass Deli Serve Over Cabinet can be customised with a choice of internal and external colours, bumpers, nudge bars and side panels.



This model is specifically for displaying Chilled and Frozen Goods

STANDARD FEATURES		OPTIONAL FEATURES	
Deck Plates		100mm or 60mm Meat Pans	Intermediate shelf
Perspex Rear Sliders		Glass Patch Ends (half)	Available in a self-contained option
Thermostatic Valves		Electronic Expansion Valves	
2 x NTC Probes		EC Fans	
Shaded Pole Fans		CO2 Coil	
Standard Coil		LED Lights	
Fluorescent Lights		Stainless Steel Nudge Rails	

SPECIFICATIONS	CHILLER	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS						
							FANS		HEATERS		LIGHTING		
							SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)	
		1,220mm (4ft)	1,21m2	0°C - 4°C	795	-8°C	29w	23w	15,6w	600w	36w	NA	
		1,830mm (6ft)	1,81m2	0°C - 4°C	1040	-8°C	58w	46w	47,58w	800w	60w	NA	
		2,440mm (8ft)	2,41m2	0°C - 4°C	1388	-8°C	58w	46w	58,44w	1000w	84w	NA	
		3,660mm (12ft)	3,62m2	0°C - 4°C	2080	-6°C	87w	69w	83,5w	1500w	132w	NA	
	FREEZER		1,220mm (4ft)	1,21m2	-22°C to -24°C	740	-30°C	29w	23w	180,5w	1200w	36w	NA
			1,830mm (6ft)	1,81m2	-22°C to -24°C	1110	-30°C	58w	46w	235,2w	1600w	60w	NA
			2,440mm (8ft)	2,41m2	-22°C to -24°C	1480	-30°C	58w	46w	302,4w	2000w	84w	NA
		3,660mm (12ft)	3,62m2	-22°C to -24°C	2220	-30°C	87w	69w	469w	3000w	132w	NA	





CONCORD

RETAIL SOLUTIONS

THE CHILLCREST
SQUARE GLASS SERVE
OVER CABINET





Available in the following lengths: 4ft, 6ft, 8ft, 12ft

Introducing the new **Chillcrest Range** – the next evolution in serve over cabinets. The Chillcrest Square Glass Serve Over Cabinet is available as either a chiller, ambient or hot unit, and can be supplied as a remote or self-contained solution to suit the store’s needs.

This robust and efficient cabinet is expertly designed to draw shoppers’ attention to the produce, while providing easy access for staff to ensure quick and efficient service. Now featuring a **Hinged Front Glass** that opens to allow access to the cabinet from the front, the Chillcrest Range makes cleaning after use easier than ever before.

Customise the Chillcrest cabinet with a choice of internal and external colours, bumpers, nudge bars, and side panels to perfectly match the store’s style and requirements.

This model is specifically for displaying chilled or frozen goods

STANDARD FEATURES						OPTIONAL FEATURES					
Can accommodate intermediate shelving						LED lighting					
Steel base structures with adjustable feet						High efficiency fans (ECM)					
High efficiency rifle bored copper tube & aluminium fin coils						Electronic Expansion Valve					
Drop in modular fan assembly						Increased base height for better product visibility					
Thermostatic expansion valve						Stainless steel meat pans					
Polycarbonate rear sliding door system						Stainless steel step down deck plates					
Hinged Front Glass that opens to allow access to the cabinet from the front						Perspex or stainless steel meat pan divider					

SPECIFICATIONS FOR CURVED GLASS DELI CABINET - CHILLER	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	1,21m2	0°C to 4°C	795	-8°C	29w	23w	15,6w	600w	36w	NA
	1,830mm (6ft)	1,81m2	0°C to 4°C	1040	-8°C	58w	46w	47,58w	800w	60w	NA
	2,440mm (7ft)	2,41m2	0°C to 4°C	1388	-8°C	58w	46w	58,44w	1000w	84w	NA
	3,660mm (12ft)	3,62m2	0°C to 4°C	2080	-8°C	87w	69w	83,5w	1500w	132w	NA





CONCORD

RETAIL SOLUTIONS

**SQUARE GLASS DELI
SERVE OVER CABINET**

CHILLER | FREEZER





Available in the following lengths: 4ft, 6ft, 8ft & 12ft

Concord's Square Glass Deli Serve Over Cabinet can be supplied as a Chiller or a Freezer unit. It can also be supplied as a remote or self-contained unit.

This robust and efficient refrigerated unit is designed to easily draw the shopper's attention to the products inside it and give easy access to the shop staff, to enable quick and efficient service to the customer.


The Square Glass Deli Serve Over Cabinet can be customised with a choice of internal and external colours, bumpers, nudge bars and side panels.

This model is specifically for displaying chilled or frozen goods

STANDARD FEATURES	OPTIONAL FEATURES
Can accommodate intermediate shelving	LED lighting
Steel base structures with adjustable feet	High efficiency fans (ECM)
High efficiency rifle bored copper tube & aluminium fin coils	Electronic Expansion Valve
Drop in modular fan assembly	Increased base height for better product visibility
Thermostatic expansion valve	Stainless steel meat pans
Thermopane energy saving glass	Stainless steel step down deck plates
Thermopane air break glass for freezer	Perspex or stainless steel meat pan divider
Polycarbonate rear sliding door system	

SPECIFICATIONS FOR CURVED GLASS DELI CABINET - CHILLER	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	1,21m2	0°C to 4°C	795	-8°C	29w	23w	15,6w	600w	36w	NA
	1,830mm (6ft)	1,81m2	0°C to 4°C	1040	-8°C	58w	46w	47,58w	800w	60w	NA
	2,440mm (7ft)	2,41m2	0°C to 4°C	1388	-8°C	58w	46w	58,44w	1000w	84w	NA
	3,660mm (12ft)	3,62m2	0°C to 4°C	2080	-8°C	87w	69w	83,5w	1500w	132w	NA

SPECIFICATIONS FOR CURVED GLASS DELI CABINET - FROZEN	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	1,21m2	-22°C to -24°C	740	-30°C	29w	23w	180,5w	1200w	36w	NA
	1,830mm (6ft)	1,81m2	-22°C to -24°C	1110	-30°C	58w	46w	235,2w	1600w	60w	NA
	2,440mm (7ft)	2,41m2	-22°C to -24°C	1480	-30°C	58w	46w	302,4w	2000w	84w	NA
	3,660mm (12ft)	3,62m2	-22°C to -24°C	2220	-30°C	87w	69w	469w	3000w	132w	NA






CONCORD

RETAIL SOLUTIONS

LOW MULTI DECK CABINET






Available in the following lengths: 4ft, 6ft, 8ft & 12ft

Concord's Low-Multi Deck Cabinet can be supplied as a Chiller or a Heated unit. It can also be supplied as a remote or self-contained unit.

This robust and efficient refrigerated unit is designed to easily draw the shopper's attention to the products inside it and give easy access to the customer and the merchandiser.

The Low-Mult Deck Cabinet can be customised with a choice of internal and external colours, bumpers, nudge bars and side panels.



This model is specifically for displaying Chilled or Heated Goods

STANDARD FEATURES	OPTIONAL FEATURES
Deck Plates	LED lighting
Thermostatic Valves (chiller only)	Glass Patch Ends (half)
Undershelf fluorescent lighting	Electronic Expansion Valves (chiller only)
2 x NTC Probes (chiller only)	High efficiency fans (ECM) (chiller only)
Shaded Pole Fans (chiller only)	CO2 Coil (chiller only)
Standard Coil (chiller only)	Stainless Steel Nudge Rails
Up to 3 adjustable shelves	Front fences
	Cresta bars

SPECIFICATIONS FOR CHILLER VERSION	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
						FANS		HEATERS		LIGHTING	
						SPM FANS	ECM FANS	ANTI-SWEAT	DEFROST	CANOPY (LED)	UNDER SHELF (LED)
	1,220mm (4ft)	2,34m2	2°C to 6°C	700	-6°C	60w	23w	15,6w	600w	36w	NA
	1,830mm (6ft)	3,51m2	2°C to 6°C	1050	-6°C	120w	46w	47,58w	800w	60w	NA
	2,440mm (7ft)	4,68m2	2°C to 6°C	1400	-6°C	180w	69w	58,44w	1000w	84w	NA
	3,660mm (12ft)	7,02m2	2°C to 6°C	2100	-6°C	240w	92w	83,5w	1500w	132w	NA

SPECIFICATIONS FOR HEATED VERSION	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	ELECTRICAL REQUIREMENTS				
				DRY HEAT	SHELF HEAT	FANS	UNDER SHELF (Flourescent)	UNDER SHELF (LED)
	1,220mm (4ft)	2,34m2	60°C to 70°C	900w	600w	24w	90w	54w
	1,830mm (6ft)	3,51m2	60°C to 70°C	1600w	1200w	36w	108w	72w
	2,440mm (7ft)	4,68m2	60°C to 70°C	2000w	1200w	48w	186w	144w
	3,660mm (12ft)	7,02m2	60°C to 70°C	3200w	1800w	72w	282w	216w








CONCORD
RETAIL SOLUTIONS

JUMBO ISLAND
FREEZER WITH
OR WITHOUT
CROWN ENDS





Available in the following lengths:
8ft & 12ft & 6ft Crown Ends

Concord’s Jumbo Island Freezer Cabinet is in a league of its own and is known in the market as one of the best.

This efficient, quiet and robust refrigerated freezer unit has the ability to draw the shopper’s attention to the frozen products inside it and give easy access to them.

The perfect optional extra to the Jumbo Island Freezer is the inclusion of single or double riser shelves, to give additional shelf display space above the centre of the Jumbo Island Freezer.

The Jumbo Island Freezer Cabinet can be customised with a choice of internal and external colours, bumpers, nudge bars and side panels. Jumbo Island Freezer can be supplied with or without crown ends.

This model is specifically for displaying Frozen Goods

STANDARD FEATURES					OPTIONAL FEATURES	
Vertical Evaporator Coil					Riser Shelves	Corner Protectors
2 x NTC Probes					Double Row Riser Shelves	Dividers
Aluminium Ticket Rails					Night Blinds	Glass Top Sliders
Electronic Display					Night Covers	Electronic Expansion Valves
Shaded Pole Fan Motor					LED Lights	
Thermostatic Expansion Valve					EC Fans	

SPECIFICATIONS	JUMBO ISLAND FREEZER	CABINET LENGTH	TOTAL DISPLAY SURFACE AREA	TEMPERATURE RANGE	REFRIGERATION CAPACITY (W)	EVAP TEMPERATURE	ELECTRICAL REQUIREMENTS					
							FANS		HEATERS		LIGHTING	
							SPM FANS	ECM FANS	ANTI-SWEAT/DOOR HEAT	DEFROST	CANOPY/VERTICAL (LED)	UNDER SHELF (LED)
CROWN END		2,440mm (8ft)	2,57m2	-22°C to -24°C	1950	-30°C	152w	92w	510w	3000w	132w	N/A
		3,660mm (12ft)	5,13m2	-22°C to -24°C	2800	-30°C	228w	138w	820w	4500w	180w	N/A
		1828,8mm (6ft)	1,201m2	-22°C to -24°C	1500	-30°C	76w	46w	411,6w	1600w	24w	N/A





CONCORD

RETAIL SOLUTIONS

**FRICON
SELF-CONTAINED
PLUG & PLAY FREEZERS**



The Fricon Plug-In Freezer is a self-contained energy efficient glass top horizontal freezer that is made in Europe to the highest quality standards on the planet. This plug and play freezer is the future for any retail store wanting to save money on energy while boosting the customer's basket spend, with reduced maintenance costs.

While it is extremely energy efficient and super quiet, it also has the ability to draw the shopper's attention to the products inside it, while keeping your products frozen.

The Fricon Plug-In Freezer can be customised with a choice of colours (white/grey/black), including customised coloured bumpers.

AVAILABLE IN THE FOLLOWING SIZES:




- 2,500mm, 2,200mm lengths and 1,940mm Crown Ends (SLB Range)
- 2,500mm, 2,100mm and 2,100mm Crown Ends (CLS Range)





Total Energy Consumption:
From 5.7KW hours per day

SLB RANGE



2500mm SLB



2200mm SLB



1940mm SLB Crown End





FRICON SELF-CONTAINED PLUG & PLAY FREEZERS



CLS RANGE



2500mm or 2100 CLS Units



2100mm CLS Crown End Units



FEATURES:

STANDARD FEATURES	OPTIONAL FEATURES
High display area with merchandising at the visual level of the customer	Variable Speed Drive
LED Lighting empowers and stimulates the visual purchase process	Dual sided LED lighting
Easy, low cost and fast installation (Plug-In)	Environmentally friendly solution using low impact refrigerant (R290)
High performance refrigeration equals preservation of fresh & frozen product	Additional bumpers
Auto defrost	Single or Double Riser Shelves with or without under shelf-lighting
High net volume and product exposure	Corner protectors
Units able to be lined up back to back, or against walls	Floor mounted nudge rails
Galvanised steel	
70mm wall thickness	
Tempered glass	
Internal dividers and baskets	
Water drainage system	
Water trimmer	
Digital thermometer	
Hidden evaporator coil	



SPECIFICATIONS OF SLB RANGE	CABINET LENGTH	WEIGHT (CRATED WEIGHT)	NET CAPACITY	DISPLAY SURFACE	TEMPERATURE RANGE	INSULATION THICKNESS	REFRIGERANT	TOTAL ENERGY CONSUMPTION
	2,500mm	154kg (198kg)	886 Litres	1.56m ²	-24°C to -14°C	70mm	R290	6.1kWh/24hr
	2,200mm	150kg (193kg)	739 Litres	1.36m ²	-24°C to -14°C	70mm	R290	5.8kWh/24hr
	1 940mm	129kg (163kg)	574 Litres	1.16m ²	-24°C to -14°C	70mm	R290	5.7kWh/24hr

SPECIFICATIONS OF CLS RANGE	CABINET LENGTH	WEIGHT (CRATED WEIGHT)	NET CAPACITY	DISPLAY SURFACE	TEMPERATURE RANGE	INSULATION THICKNESS	REFRIGERANT	TOTAL ENERGY CONSUMPTION
	2,500mm	211kg (254kg)	878 Litres	1.82m ²	-24°C to -16°C	70mm + Glass Sides	R290	6.95kWh/24hr
	2,100mm	180kg (227kg)	672 Litres	1.65m ²	-24°C to -16°C	70mm + Glass Sides	R290	6.79kWh/24hr
	2,100mm Crown End	198kg (239kg)	672 Litres	1.66m ²	-24°C to -16°C	70mm + Glass Sides	R290	8.03kWh/24hr

The above specifications are based on store conditions of 25°C and 60% relative humidity.



OPTIONAL EXTRAS: SINGLE OR DOUBLE RISER SHELVES (WITH OR WITHOUT LED LIGHTS) AND NUDGE RAILS



CONFIGURATION OPTIONS


Possible Line-Up Options:




SOLO



ROW



BACK TO BACK



ISLAND



**THE CLEAREST VIEW IN
REFRIGERATION**



STRAIGHT CLEAR FULL VISION PET DOORS

EXCLUSIVELY DISTRIBUTED BY CONCORD RETAIL SOLUTIONS



WORKING TOGETHER EXCLUSIVELY



EXCLUSIVE SUPPLIERS OF THE WORLD'S CLEAREST PET DOORS

Concord Retail Solutions is proud to be the exclusive distributor of **Clear Vision Cooling's Straight Full Vision PET Doors** - a global leader in clarity, durability, and performance.

With a strong track record of delivering premium retail and commercial solutions, Concord is committed to bringing world-class innovation to the South African market.

Clear Vision Cooling's doors are engineered to provide unmatched transparency and strength, setting the industry standard for modern PET door systems.

Backed by Concord's expertise and service excellence, these doors are the ultimate choice for retailers who demand quality without compromise.

Fully transparent frameless PET doors

Not only does the clear spacer of the SFV door ensure maximum transparency, but it also gives the freedom of choice of door sizes. The premium quality PET material makes the lightweight SFV doors nearly unbreakable. The doors are completely shatterproof and will not fracture.

High quality hinges tested for more than
1 000 000 cycles (10 Years of Operation)

Carbon Footprint

Climate change per 1800mm door (CO2 eq./kg)


CONCORD (PET)

12.8kg



ACRYLIC

12.8kg



GLASS

22kg



***See next page on hinges**

TECHNICAL SPECIFICATIONS SFV PET DOOR

Thermal conductance (EN673/12898)	1,1 W/m²K
Light transmission (ASTM D1003)	86% (4 mm sheet)
Water absorption (ISO62)	0,2%
Tensile modulus (ISO527)	2500 MPa
Flexural strength (ISO178)	80 MPa
Impact strength (ISO179)	Zero fraction KJ/m²
Max. Height	2100 mm
Min. Height	900 mm
Max. Width	850 mm
Min. Width	400 mm

CONCORD

PET VS ACRYLIC (PERSPEX) FIRE RESISTANCE

PET

Standard	Classification
Europe (DIN 4102)	Euro Class B-s1,d0
UK (BS 476 Part 7)	UK Class 1
Germany (DIN 4102)	Germany B1
France (NF 92500+)	France M2



PET non-flammable

OTHER

ACRYLIC (PERSPEX)

Standard	Classification
Europe (DIN 4102)	Euro Class E
UK (BS 476 Part 7)	UK Class 3
Germany (DIN 4102)	Germany B2
France (NF 92500+)	France M4



PMMA 100% flammable

OUR SELF-CLOSING HINGES HAVE A MECHANISIM THAT CLOSES PROPERLY & PERFECTLY EVERYTIME

500,000 opening & closing movements guaranteed

The PVC bottom profile designed to provide a thermal break between the interior and exterior of the refrigerated display cabinet, effectively preventing condensation

CLEAR BENEFITS, CIRCULAR FUTURE



OUTSTANDING CLARITY



UP TO 50% ENERGY SAVING



100% CIRCULAR



DURABLE & UNBREAKABLE



HALF THE WEIGHT OF GLASS



NON-FLAMMABLE



OUR DOORS CAN
FIT ON ANY CABINET




EASY INSTALLATION

SUSTAINABILITY MEETS INNOVATION

Our Full Vision doors are made from PET (polyethylene terephthalate), the same durable and recyclable material used in everyday PET bottles.

This not only ensures high performance and clarity but also makes the doors fully suitable for 100% circular use — meaning they can be recycled and repurposed again and again without losing quality.



**Closing the loop – Full Vision PET doors supporting
a 100% circular economy**



SUPERCARGE YOUR SUPERMARKET'S ENERGY SAVINGS

Supermarkets are having to prioritize energy efficiency. Concord Retail Solutions offers exceptional solutions in this area.

Straight Clear Full Vision PET doors



Our Straight Clear Full Vision PET doors combine frameless PET-glass composite construction with crystal-clear visibility and energy-efficient performance, featuring maintenance-free hydraulic hinges tested for over 500,000 cycles. These lightweight, scratch-resistant doors deliver maximum product display impact while supporting sustainability through recyclable materials and reduced refrigeration costs.



The New CLS Range
(Available Sizes: 2.5m, 2.1m
& 2.1m Crown Ends)



The SLB Range
(Available Sizes: 2.5m, 2.2m
& 1.94m Crown Ends)

Fricon Self-Contained Glass Top Freezers



Self-Contained Freezers



Uprights, Serve-Overs & Jumbos



Slimline Lofty Upright Chiller Cabinets with Full Vision PET Doors
Available sizes:
4ft, 6ft, 7ft, 8ft, 12ft




Lofty Upright Chiller Cabinets
Available sizes:
4ft, 6ft, 7ft, 8ft, 12ft



Curved Glass Deli Cabinets
Available sizes: 4ft, 6ft, 8ft, 12ft



The Chillcrest Serve Over Cabinet Range
Available sizes: 4ft, 6ft, 8ft, 12ft



Jumbo Island Freezers with Crown Ends
Available sizes: 8ft & 12ft

Self-Contained Freezer Range

**Energy Efficiency
Leader**



**Self-Contained SLB
Plug & Play Freezer
Line Up with Riser Shelves**

Grab & Go

**Available as chillers or hot cabinets,
and available as self-contained or
remote units.*




Square Glass Cabinets
Available sizes:
4ft, 6ft, & 8ft



Low-Multi Deck Cabinets
Available sizes:
4ft, 6ft & 8ft



**Self-Contained SLB
Plug & Play Crown End Freezers**
Available sizes: 1,940mm



**Self-Contained SLB
Plug & Play Freezers**
Available sizes: 2,200mm & 2,500mm



**Self-Contained CLS Range
Plug & Play Freezers + Crown Ends**
Available sizes: 2,500mm & 2,100mm







THE FUTURE OF RETAIL SOLUTIONS IS HERE

Tel: +27 31 462 2323 | sales@concord.co.za
www.concord.co.za

